	CLEARANCE	راIssue المحتلية To, The O KISHC	stry of Environmen ed by the State Env Authority(SE	iment of India it, Forest and Climate Change vironment Impact Assessment IAA), Maharashtra)
PARIVESH	and Responsive Facilitation by Interactive, ous Environmental Single-Window Hub)	Subject: Grant under Sir/Madam, This in respect of SIA/MH/MIS/264 clearance grante 1. EC Identifie 2. File No. 3. Project Typ 4. Category	of Environmental Clearance the provision of EIA Notific is in reference to your app project submitted to .004/2022 dated 01 Apr 2 ed to the project are as be cation No.	blication for Environmental Clearance (EC) the SEIAA vide proposal number 022. The particulars of the environmental
PAR	(Pro-Active and Responsi and Virtuous Environm	8. Location of 9. TOR Date		No.183, H.No. 1 to 11 and Survey No.266, H.No.1 To 13, Village Nilemore, Nallsopara [W], Tal.Vasai, Dist.Palghar. by Kishore D Naik KISHOR DATTATRAY NAIK Maharashtra N/A
		Date: 03/08/2022	2	(e-signed) Manisha Patankar Mhaiskar Member Secretary SEIAA - (Maharashtra)
	PARPVESH	Note: A valid ei number & E-S number in all t	nvironmental clearance ign generated from P iuture correspondence	shall be one that has EC identification ARIVESH.Please quote identification

This is a computer generated cover page.

### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA /MH/MIS/264004/2022 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

То

Shri. Kishore D Naik, Survey No.183, H. No. 1 to 11& Survey No.266, H.No.1 To 13, Village Nilemore, Nallsopara (W), Tal.Vasai, Dist.Palghar.

> Subject : Environment Clearance for Expansion of Proposed Residential building with shop line on plot bearing Survey No.183, H. No. 1 to 11 and Survey No.266, H.No.1 To 13, Village Nilemore, Nallsopara (W), Tal.Vasai, Dist.Palghar by Shri. Kishore D Naik

Reference : Application no. SIA /MH/MIS/264004/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 140<sup>th</sup> & 177<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 231<sup>st</sup> & 246<sup>th</sup> (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief information of the project submitted by you is as below				
Sr.	Description	Details		
No				
1	Proposal Number	Old Proposal No.: SIA	/MH/MIS/163865/2020	
		Corrigendum No.: SIA	/MH/MIS/265352/2022	
2	Name of Project	Expansion of Propose	d Residential cum shop line	
		Building on plot bearing	ig Survey No.183, H. No. 1 to	
		11 and Survey No.2	66, H.No.1 To 13, Village	
		Nilemore, Nallsopara [W], Tal. Vasai, Dist. Palghar		
		by Kishor D Naik		
3	Project category	8 (a) b 2 Building & co	onstruction Project	
4	Type of Institution	Private		
5	Project Proponent	Name	Mr. Kishore D Naik	
		Regd. Office address	Near Railway Station, S.T.	
			Depot Road, Nallasopara	
			(W), Nilegaon	
		Contact number	9764407860	
		e-mail	patilbuilders2010@gmail.c	
			om	
6	Consultant	Vaishali Tambat, Manı	usrushti	
		NABET Accreditation	on Number & Validity:	

Brief Information of the project submitted by you is as below:-

[]		<u> </u>		NABET/FIA	/2023/140068	valid	up to 24th
				NABET/EIA/2023/IA0068 valid up to 24th November, 2023.			
7	Applied for			Expansion	025.	·····	
8	Location of the project			plot bearing Survey No.183, H. No. 1 to 11 and			
	Location of the project			Survey No 2	66, H.No.1 To	13. Villa	age Nilemore.
9	Latitude	and Longitude		Nallsopara [W], Tal. Vasai, Dist. Palghar. Latitude: 19°25'41.14"N			
· ·	Butttude	mu Dongroude		Longitude:72			
10	Plot Area	(sa. m.)	· · · ·	28,378.00 Sq. m			
11	Deductions (sq. m.)			8,550.50 Sq.			· · · · · · · ·
12	Net Plot area (sq. m.)			19,827.5 Sq.		· .	
13	Ground coverage (m <sup>2</sup> ) & %				(30.47 % on to	tal plot a	rea)
14	FSI Area (sq. m.)			45,361.04 Sq			· · · · · · · · · · · · · · · · · · ·
15	Non-FSI (sq. m.)			31,132.27 sq	See We under 12 mile	antile New	
16	Proposed built-up area (FSI +			76,493.31 sq	2 N		
	Non FSI) (sq. m.)						
1.7				Project Re	ceived CC	Vide N	lo. VVCMC
· ·	522	Authority till d		/TP/RDP//VI	P-0198 & 40	33/439/2	02-22, dated
				08.9.2021			
18	Earlier E	EC details wit	h Total		C vide letter i	25,223	12 1
	Construct	ion area, if any	•	235/TC-II			aving Total
				Construction area - 45,761.50 Sq. m			
19	12185	tion completed		17,994.72 Sq	i. m 👘 👘 👘		
	earlier EC (FSI + Non FSI) (sq. m.)						
20	Prev	ious EC / Exist	ting	Propos	ed Configuration	m	
		Building					<b>Reason</b> for
	Buildin	Configurati	Heig	Building	Configurati	Heigh	Modificatio
	g	on	ht	Name	on	ţ	n / Change
	Name		(m)			(m)	
	Building	and the second		Building No		20.10	
	Wing A	<u>Gr.(pt.) +9</u>	30.10	Wing A	Gr.(pt.) +9	30.10	No changes
		Gr.(pt.) +9	20.10	NV. D	0 ( 1) 14	10.70	Increased by
all.	Wing B		30.10	Wing B	Gr.(pt.) + 14	43.70	5 Floors
			The second second second				
	Marine and an an	<u> </u>					Increased by
1	WD	Gr.(pt.) +9	20.10	Wing D	Gr.(pt.) + 16	10.7	Increased by
	Wing D	Gr.(pt.) +9	30.10	Wing D	Gr.(pt.) + 16 (pt.)	49.7	Increased by 7 Floors
	Wing D		30.10	Wing D	[11] A. A. A. S. S. S. S. S. M. S. M. M. S. S. M. S.	49.7	7 Floors
	Wing D Wing E	Gr.(pt.) +9 Gr.(pt.) +12		Wing D Wing E &	(pt.)		7 Floors Increased by
			30.10 40.13		[11] A. A. A. S.		7 Floors
	Wing E			Wing E & F	(pt.) Gr.(pt.) + 14	44.90	7 Floors Increased by 2 Floors
	Wing E & F	Gr.(pt.) +12	40.13	Wing E & F Wing G &	(pt.)		7 Floors Increased by 2 Floors Increased by
	Wing E & F Wing G			Wing E & F Wing G & H	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14	44.90	7 Floors Increased by 2 Floors Increased by 2 Floors
	Wing E & F	Gr.(pt.) +12	40.13	Wing E & F Wing G &	(pt.) Gr.(pt.) + 14	44.90	7 Floors Increased by 2 Floors Increased by 2 Floors Newly
	Wing E & F Wing G & H	Gr.(pt.) +12	40.13	Wing E & F Wing G & H Bungalow	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14 Gr. + 1	44.90	7 Floors Increased by 2 Floors Increased by 2 Floors
	Wing E & F Wing G & H Building	Gr.(pt.) +12 Gr.(pt.) +12 No. 2	40.13	Wing E & F Wing G & H Bungalow Building No	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14 Gr. + 1 . 2	44.90 44.75 7.00	7 Floors Increased by 2 Floors Increased by 2 Floors Newly proposed
	Wing E & F Wing G & H	Gr.(pt.) +12	40.13	Wing E & F Wing G & H Bungalow	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14 Gr. + 1 . 2 B+Gr.(pt.) +	44.90	7 Floors Increased by 2 Floors Increased by 2 Floors Newly proposed Increased by
	Wing E & F Wing G & H Building Wing A	Gr.(pt.) +12 Gr.(pt.) +12 No. 2 Gr.(pt.) +10	40.13 40.13 33.44	Wing E & F Wing G & H Bungalow Building No Wing A	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14 Gr. + 1 . 2 B+ Gr.(pt.) + 13	44.90 44.75 7.00 40.35	7 Floors Increased by 2 Floors Increased by 2 Floors Newly proposed Increased by 3 Floors
	Wing E & F Wing G & H Building	Gr.(pt.) +12 Gr.(pt.) +12 No. 2	40.13	Wing E & F Wing G & H Bungalow Building No	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14 Gr. + 1 . 2 B+Gr.(pt.) +	44.90 44.75 7.00	7 Floors Increased by 2 Floors Increased by 2 Floors Newly proposed Increased by 3 Floors Increased by
	Wing E & F Wing G & H Building Wing A	Gr.(pt.) +12 Gr.(pt.) +12 No. 2 Gr.(pt.) +10	40.13 40.13 33.44	Wing E & F Wing G & H Bungalow Building No Wing A	(pt.) Gr.(pt.) + 14 Gr.(pt.) + 14 Gr. + 1 S. 2 B+ Gr.(pt.) + 13 B+ Gr.(pt.) +	44.90 44.75 7.00 40.35	7 Floors Increased by 2 Floors Increased by 2 Floors Newly proposed Increased by 3 Floors

EC Identification No. - EC22B038MH118145 File No. - SIA/MH/MIS/264004/2022 Date of Issue EC - 03/08/2022

					A				
							5 Floors		
	Wing D	Gr.(pt.) +10	33.44	Wing D	Gr.(pt.) + 15	48.80	Increased by 5 Floors		
	Wing E	Gr.(pt.) +10	33.44	Wing E	B+ Gr.(pt.) + 15	48.80	Increased by Basement & 5 Floors		
	Building	Building No. 3			uilding No. 3				
		Gr.(pt.) +6		Wing A	Gr.(pt.) +14	43.95	Increased by 8 Floors		
	Wing A	(pt.)	20.06	Bungalow	G (p)+ 1	7.00	Newly proposed		
2	I No. of Te	No. of Tenements & Shops			Existing: Flats: 903 nos.; Shops: 145 nos.; CFC: 2 nos. Proposed: Flats: 1223 no's; Shops: 151 nos.; CFC: 2 no's & Basement stores - 7 nos.				
2:	2 Total Pop	Total Population			occupants: 6115 op: 474 no., Visi 851. no's		· •		
2	3 Total Wa	Total Water Requirements CMD			876 KLD				
24	4 Under 0 location	Under Ground Tank (UGT)			Flushed to ground				
2:	5 Source of	Source of water			VVCMC (Vasai-Virar City Municipal Corporation)				
20	5 STP Cap	STP Capacity & Technology			3 STP of capacity 408, 355 & 57 KLD Moving bed biofilm reactor (MBBR)				
2'	7 STP Loc	STP Location			Below Ground (640 Sq. m) (40% natural Ventilation Provided)				
2	· · ·	Sewage Generation CMD & % of sewage discharge in sewer line			799 KLD (57% of sewage discharge in sewer line )				
2	1 St.	Solid Waste Management during Construction Phase			Quantity (Kg/d)	Treatm	ient / disposal		
				Dry waste	11 11	and Ha Author	be segregated anded over to ized recyclers		
				Wet waste	26	already	nstalled at site constructed		
				Constructio n waste	26000.52 m3	Excava will use and lev			
30	with ty	pe during O		Туре	Quantity (Kg/d)		ent / disposal		
	Phase & installed	Capacity of OW	/C to be	Dry waste	1338	Handeo Author	l over to ized recyclers		

	· · · · · · · · · · · · · · · · · · ·	XX7 (	·····	XX7 / Luni	
		Wet waste		Wet garbage	
			1000	treatment in Organic	
			1889	waste converter	
		н н. 1. н.	1	(OWC) of 500 kg/hr	
				Capacity.	
		E-Waste	3113	Handed over to	
				Authorized recyclers	
		STP Sludge		Will be use as manure	
		(dry)	93	After Treatment in	
				OWC	
31	R.G. Area in sq.m.	RG required – 2974.13 Sq. m			
-		RG provided	on Mother ear	h - 2974.13 Sq. m	
		RG provided	on ground - 29	74.13 Sq. m	
		Total – 2974	.13 Sq. m (15 %	6 of net plot area)	
		Existing trees	s on plot: 0 Nos	· % / A	
			ees to be plante		
		a) In RG area			
			uki Plantation (v	with area): Not	
		provided			
		Number of trees to be cut: 0			
			ees to be transp	lanted: 0	
32	Power requirement	During Operation			
		Details			
		Source			
		Connected load (kW) Existing: 7892 Kw;			
		Expansion: 2418 KW			
		Demand loa		isting: 5131 Kw;	
				pansion: 1451 KW	
33	Energy Efficiency	a) Total Ener	gy saving (%):		
		b) Solar ener	The wood shoke day in the second state		
34	D.G. set capacity	and the second se	Phase: 1 DG se	et of 65 kVA	
				F sets of capacity 225	
8		<ul> <li>The state of the s</li></ul>	VA & 90 KVA		
35	No. of 4-W & 2-W Parking	Proposed Ca			
	with 25% EV	<ul> <li>Salaria Contraction and a second solution of the second</li></ul>	ooter: 1439 nos		
36	No. & capacity of Rain water			osed of capacity 75	
	harvesting tanks /Pits		n, 8 Cum, 10 Ĉ		
1		98.76 Cr.			
37	Project Cost in (Cr.)	98.76 Cr.	e Distanti Distanti	(1997) · · · · · · · · · · · · · · · · · · ·	
37	Project Cost in (Cr.) EMP Cost			Per year: 19.58	
		During const	ruction phase -	Per year: 19.58 bital cost: 322.5 Lakh	
		During const During opera	ruction phase -	oital cost: 322.5 Lakh	
38	EMP Cost	During const During opera O & M Cost	ruction phase – ition phase: Caj 42.47 Lakh/ Y	bital cost: 322.5 Lakh ear	
	EMP Cost CER Details with justification if	During const During opera O & M Cost As per F No.	ruction phase – ition phase: Cap 42.47 Lakh/ Y 22-65/2017-IA	bital cost: 322.5 Lakh ear .III dated 30 September	
38	EMP Cost CER Details with justification if anyas per MoEF&CC	During const During opera O & M Cost As per F No. 2020 Office	ruction phase – tion phase: Cap 42.47 Lakh/ Y 22-65/2017-IA Memorandum	bital cost: 322.5 Lakh ear .III dated 30 September the OM dated 1st may	
38	EMP Cost CER Details with justification if	During const During opera O & M Cost As per F No. 2020 Office 2018 is supp	ruction phase – ation phase: Cap <u>42.47 Lakh/ Y</u> 22-65/2017-IA Memorandum pressed. Hence	bital cost: 322.5 Lakh ear .III dated 30 September the OM dated 1st may	
38	EMP Cost CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018	During const During opera O & M Cost As per F No. 2020 Office 2018 is supp your recomm	ruction phase – ation phase: Cap <u>42.47 Lakh/ Y</u> 22-65/2017-IA Memorandum pressed. Hence	bital cost: 322.5 Lakh ear .III dated 30 September the OM dated 1st may	
38	EMP Cost CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018 Details of Court	During const During opera O & M Cost As per F No. 2020 Office 2018 is supp	ruction phase – ation phase: Cap <u>42.47 Lakh/ Y</u> 22-65/2017-IA Memorandum pressed. Hence	bital cost: 322.5 Lakh ear .III dated 30 September the OM dated 1st may	
38	EMP Cost CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018	During const During opera O & M Cost As per F No. 2020 Office 2018 is supp your recomm	ruction phase – ation phase: Cap <u>42.47 Lakh/ Y</u> 22-65/2017-IA Memorandum pressed. Hence	bital cost: 322.5 Lakh ear .III dated 30 September	

3. Proposal is for expansion of existing construction project. PP obtained earlier EC vide SEAC-2212/C.R.- 235/TC-II Dated 12th January 2016 for total BUA of 45,761.50. Proposal has been considered by SEIAA in its 231<sup>st</sup> & 246<sup>th</sup> (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

# Specific Conditions:

### A. <u>SEAC Conditions-</u>

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions there under as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to ensure that STP to be kept open minimum up to 40%. The discharge of treated sewage to be reduced to 35%. to enter into agreement with Municipal corporation for utilizing treated effluent in to near by garden constructed by PP and handed over to Corporation. PP to submit detail plan for use of excess treated water.
- 3. PP to adopt water conservation measures by providing Low Flow Devices (LFD) as plumbing fixtures. PP to ensure that the energy savings from renewable sources shall be minimum 5%.
- 4. PP to abide conditions stipulated in all Noc's issued to the project.
- 5. PP to ensure that at least 40% of four wheeler parking's and Two wheeler parking's should be provided with electric Charging Facilities.
- 6. PP to submit superimpose plan of earlier & proposed layout & marks the changes made in earlier submitted layout.
- 7. PP to revise and submit the storm water drainage calculations and ensure that the outlet of storm water is on higher level .
- 8. PP to submit detail debris management plan.
- 9. PP to submit solid waste management plan for proposed commercial buildings/ shops.
- 10. PP to obtain & submit certified compliance of earlier EC from Regional Office, MoEF& CC Nagpur .

### B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI-31401.00 m2, Non-FSI-205252.84 m2, Total BUA-51923.84 m2. (Plan approval-VVCMC/TP/RDP//VP-0198 & 4033/439/202-22, dated-08.09.2021). (Restricted as per CC)

# **General Conditions:**

#### a) Construction Phase :-

I. The solid waste generated should be properly collected and segregated. Dry/inert solid

waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be

closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

## **B)** Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

### C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to

assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patanka (Member Secretary, SEI

#### Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Palghar.
- 6. Commissioner, Vasai Virar Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Thane.